


Couplers & Hitches 333-360

Fifth Wheels	334-350
Jost	334-339
SAF Holland	340-345
Upper Couplers	351-353
Kingpins	352-353
Gauges	353
Locks	353
Slick Discs	353
Drawbar Eyes	354-356
Pintle Hooks	357-359
Hinge Assemblies	360

CPR

Couplers & Hitches

Jost - JSK37F Series



Item	Part Number	Description
1	JOSSK73121-55	Cushion Ring Bolt
2	JOSSK3105-93	Retainer
3	JOSSK3105-92	Cushion Ring Insert
4	JOSSK72106-67	Lock Jaw Pivot Pin
5	JOSSK79048-02	Collar
6	JOSSK79011-12	Bracket Pin - 1-1/4 in.
7	JOSSK73104-47	Tab Washer
8	JOSSK70202-15	1/2-13 x 3/4 lg. Hex Bolt
9	JOSSK70993-00	Plate Spring
10	JOSSK70301-00	External Tooth Lock Washer
11	SK70202-09[^]	Hex Bolt
12	JOSSK73105-15	Release Handle
13	JOSSK71513	Pivot Bolt Assembly
14	JOSSK73221-01	Locking Bar Bolt Assembly

[^]Part included for reference only.

Jost

Item	Part Number	Description
15	JOSSK3105-140	Lever with Busing
16	JOSSK3205-06	Locking Bar
17	JOSSK1489LZ	Lock Jaw
18	JOSSK847	Lock Jaw Spring
19	JOSSK2106-69	Eye Bolt
20	JOSSK2106-70	Ring
21	JOSSK73205-07	Guide Piece
22	SK79010-07[^]	Adjusting Screw
23	JOSSK3105-20	Double Tension Spring
24	JOSSK3108-02	Lubricating Kit

Kits


Major Rebuild Kit	JOSSK75013-14
Cushion & Lock Jaw	JOSSK73221-50Z

CPR

Fifth Wheels

JOST

Jost - JSK37H Series



Item	Part Number	Description
1	JOSSK73121-55	Cushion Ring Bolt
2	JOSSK3105-93	Retainer
3	JOSSK3105-92	Cushion Ring Insert
4	JOSSK72106-67	Lock Jaw Pivot Pin
5	JOSSK73105-95	Collar
6	JOSSK73104-05	Bracket Pin 01-1/4 in.
7	JOSSK73104-47	Tab Washer
8	JOSSK73121-28B	1/2-13 x 3/4 Ig. Hex Bolt
9	JOSSK70993-00	Plate Spring
10	JOSSK70301-00	External Tooth Lock Washer

Item	Part Number	Description
11	SK70202-09*	Hex Bolt
12	JOSSK73105-15	Release Handle
13	JOSSK71513	Pivot Bolt Assembly
14	JOSSK73221-01	Locking Bar Bolt Assembly
15	JOSSK3105-140	Lever with Bushing
16	JOSSK3205-06	Locking Bar
17	JOSSK1489LZ	Lock Jaw
18	JOSSK847	Lock Jaw Spring
19	JOSSK2106-69	Eye Bolt
20	JOSSK2106-70	Ring
21	JOSSK73205-07	Guide Piece
22	JOSSK3105-151	Adjusting Screw
23	JOSSK3105-20	Double Tension Spring
24	JOSSK3108-02	Lubricating Kit

*Part included for reference only.


Kits

Complete Rebuild Kit **JOSSK73221-52Z**
Cushion & Lock Jaw **JOSSK73221-50Z**

Jost

Couplers & Hitches

Jost - JSK37K Series



Item	Part Number	Description
1	JOSSK73121-55	Cushion Ring Bolt
2	JOSSK3105-93	Retainer
3	JOSSK3105-92	Cushion Ring Insert
4	JOSSK72106-67	Lock Jaw Pivot Pin
5	JOSSK79048-02	Collar
6	JOSSK79011-12	Bracket Pin 01-1/4 in.
7	JOSSK73104-47	Tab Washer
8	JOSSK70202-15	1/2-13 x 3/4 Ig. Hex Bolt
9	JOSSK70993-00	Plate Spring
10	JOSSK70301-00	External Tooth Lock Washer
11	SK70202-09[^]	Hex Bolt
12	JOSSK73105-15	Release Handle
13	JOSSK71513	Pivot Bolt Assembly
14	JOSSK73221-01	Locking Bar Bolt Assembly

Item	Part Number	Description
15	JOSSK3105-140	Lever with Bushing
16	JOSSK3205-06	Locking Bar
17	JOSSK1489LZ	Lock Jaw
18	JOSSK847	Lock Jaw Spring
19	JOSSK2106-69	Eye Bolt
20	JOSSK2106-70	Ring
21	JOSSK73205-07	Guide Piece
22	SK79010-07[^]	Adjusting Screw
23	JOSSK3105-20	Double Tension Spring
24	JOSSK3108-02	Lubricating Kit

[^]Part included for reference only.

Jost

Kits

Complete Rebuild Kit **JOSSK75013-14**
Cushion & Lock Jaw **JOSSK73221-50Z**

CPR

Fifth Wheels

JOST

JOST

Making Change Easy

JOST International offers topplates that replace competitive models.



Making The Change

A couple hours is a long time for a rebuild, a JOST replacement wheel will save you time and money.

Instead of rebuilding your old worn out wheel, replace it with a brand new JOST.

Warranty

Don't worry about the warranty, receive a new five year warranty with the JOST 5th wheel.

JOST will also warrant any unused coverage remaining on your current bracket.

JSK37HSL

Replaces "H" Models | **Replaces Kits**

FW8	FW2000	FW3501	RK17A-L
FW17	FW2500	FWAL	RK351A-L
FW35	FW2535		RK-AL-A-L

JSK37HSL will increase 5th wheel height by 3/4".

JSK37FSL


Replaces "F" Models* | **Replaces Kits**

SL5000	SL6000	SL7000	KIT-RPR-5092L
SL5092	SLH5092		KIT-RPR-7000

JSK37FSL will increase 5th wheel height by 5/16".
*Is not compatible with the 7" LWS Series Sliders.

Couplers & Hitches

Jost - JSK37U Series



Item	Part Number	Description
1	JOSSK73121-55	Cushion Ring Bolt
2	JOSSK3105-93	Retainer
3	JOSSK3105-92	Cushion Ring Insert
4	JOSSK72106-67	Lock Jaw Pivot Pin
5	JOSSK3105-95	Collar
6	JOSSK2905-94	Bushing
7	JOSSK79011-03	Bracket Pin - 050mm
8	JOSSK73104-47	Tab Washer
9	JOSSK70202-15	1/2-13 x 3/4 Ig. Hex Bolt
10	JOSSK70993-00	Plate Spring
11	JOSSK70301-00	External Tooth Lock Washer
12	SK70202-09[^]	Hex Bolt
13	JOSSK73105-15	LH Release Handle
13B	JOSSK75016-04	Retractable Handle w/ Spring
13R	JOSSK79009-27	RH Release Handle
14	JOSSK71513	Pivot Bolt Assembly
15	JOSSK73221-01	Locking Bar Bolt Assembly

[^]Part included for reference only.


Item	Part Number	Description
16	JOSSK3105-140	LH Lever with Bushing
16C	SK79003-00[^]	LH Lever - 7 in. High Inboard
16R	JOSSK3105-18	RH Lever with Bushing
17	JOSSK3205-06	Locking Bar
18	JOSSK1489LZ	LH Lock Jaw
18R	JOSSK1489Z	RH Lock Jaw
19	JOSSK847	Lock Jaw Spring
20	JOSSK2106-69	Eye Bolt
21	JOSSK2106-70	Ring
22	JOSSK73205-07	Guide Piece
23	JOSSK3105-151	Adjusting Screw w/ Hex Nut
24	JOSSK3105-20	Double Tension Spring
25	JOSSK3108-02	Lubricating Kit

Kits

Cushion & Lock Jaw
(UAB, USB, UAL, USL) **JOSSK73221-50Z**
(UAR, USR) **JOSSK75013-02**

Jost

Jost - JSK37010 Series



Item	Part Number	Description
1	JOSSK73121-55	Cushion Ring Bolt
2	JOSSK3105-93	Retainer
3	JOSSK3105-92	Cushion Ring Insert
4	JOSSK72106-67	Lock Jaw Pivot Pin
5	JOSSK70401-02	3/8-16 Lock Nut
6	JOSSK70302-05	Flat Washer
7	JOSSK79024-02	Drop Handle Guide
8	JOSSK79024-01	Cover Plate
9	SK70202-14[^]	3/8-16 x 2 in. lg. Hex Bolt
10	JOSSK3105-95	Collar
11	JOSSK2905-94	Bushing
12	JOSSK79011-03	Bracket Pin
13	JOSSK73104-47	Tab Washer

Item	Part Number	Description
14	JOSSK70202-15	1/2-13 x 3/4 lg. Hex Bolt
15	JOSSK70993-01	Drop Handle Plate Spring
16	JOSSK70301-00	External Tooth Lock Washer
17	JOSSK73121-28B	3/8-16 x 3/4 lg. Hex Bolt
18	JOSSK73105-15	Release Handle
19	JOSSK71513	Pivot Bolt Assembly
20	JOSSK73221-01	Locking Bar Bolt Assembly
21	JOSSK79024-03	Drop Handle Release Arm
22	JOSSK3205-06	Locking Bar
23	JOSSK3108-02	Lubricating Kit
24	JOSSK1489LZ	Lock Jaw
25	JOSSK847	Lock Jaw Spring
26	JOSSK2106-69	Eye Bolt
27	JOSSK2106-70	Ring
28	NT0000201[^]	Jam Nut
29	SK70303-63[^]	Lock Washer
30	JOSSK73205-07	Guide Piece
31	JOSSK79010-02	Internal Adjusting Screw
32	JOSSK3105-20	Double Tension Spring

[^]Part included for reference only.

Kits

Cushion & Lock Jaw **JOSSK73221-50Z**

Jost

Couplers & Hitches




SAF-Holland - FWS1 Series

CPR

Fifth Wheels

SAF-Holland



Item	Part Number	Description
1	HOLXA-4109939	Jaw
2	HOL4109931	Lock
3	HOL1200101	Jaw Return Spring
4	HOL1200706	Lock Spring
5	HOL4100373	Lever Bar (Manual Pull)
6	HOLXA-10990	Handle (Manual Pull)
7	HOLXA-10969	Cover Plate
8	HOLXB-11091	Cotter Pin 3/16 in. x 1-1/4 in.
9	HOLXB-T-49	Washer 1/2 in.
10	HOLXB-11127	Hex Head Shoulder Bolt
11	HOLXB-T-199	Washer 5/8 in.
12	HOLXD-11121	Lock Indicator
13	HOL84261	Cotter Pin 1/8 in. x 1-1/4 in.
14	HOLXB-10996	Indicator Pin

*Part included for reference only.

SAF-Holland

Item	Part Number	Description
15	HOLXA-10971	Eccentric Jaw Pin
16	HOL9900170	Clinch Pin 3/16 in. x 1-1/4 in.
17	HOLRK-PKT-2	Pocket Insert (Qty 2)
18	HOL9900181	Roll Pin 3/16 in. x 1.15 in.
19	HOLXE-06356	Bracket Pin
20	HOLXB-C-95	HHCS 1/2 in. - 20 x 1-1/4 in.
21	HOLXB-T-69-A	Locknut 1/2 in. - 20
22	HOLXA-10999	Air Cylinder
23	XB-11027^	HHCS 3/8 in. - 16 x 1/2 in.

Kits

Complete Rebuild Kit
Release Handle Kit
Jaw Kit
Air Cylinder Replacement Kit

HOLRK-FWS-A-L
HOLRK-10990
HOLRK-4109939
HOLRK-10999

Fifth Wheels

340


800.621.7949

= Key Items

www.AuroraParts.com

Cross-reference parts are listed for reference only. © 2018 Aurora Parts & Accessories, LLC., All Rights Reserved

SAF-Holland - FWS2 Series



Item	Part Number	Description
1	HOLXA-4109939	Jaw
2	HOL4109931	Lock
3	HOL1200101	Jaw Return Spring
4	HOL1200706	Lock Spring
5	HOL4100373	Lever Bar (Manual Pull)
6	HOLXA-10990	Handle (Manual Pull)
7	HOLXA-10969	Cover Plate
8	HOLXB-11091	Cotter Pin 3/16 in. x 1-1/4 in.
9	HOLXB-T-49	Washer 1/2 in.

Kits

HOLRK-FWS-A-L	Complete Rebuild Kit
HOLRK-10990	Release Handle Kit
RK-41-9939[^]	Jaw Kit
HOLRK-10999	Air Cylinder Replacement Kit


Item	Part Number	Description
10	HOLXB-11127	Hex Head Shoulder Bolt
11	HOLXB-T-199	Washer 5/8 in.
12	HOLXD-11121	Lock Indicator
13	HOL84261	Cotter Pin 1/8 in. x 1-1/4 in.
14	HOLXB-10996	Indicator Pin
15	HOLXA-10971	Eccentric Jaw Pin
16	HOL9900170	Clinch Pin 3/16 in. x 1-1/4 in.
17	HOLRK-PKT-2	Pocket Insert (Qty. 2)
18	HOL9900181	Roll Pin 3/16 in. x 1-5/32 in.
19	HOLXE-06356	Bracket Pin
20	HOLXB-C-95	HHCS 1/2 in. - 20 x 1-1/4 in.
21	HOLXB-T-69-A	Locknut 1/2 in. - 20
22	HOLXA-10999	Air Cylinder
23	XB-11027[^]	HHCS 3/8 in. - 16 1/2 in.

[^]Part included for reference only.

SAF-Holland

SAF-Holland - Simplex II

DISCONTINUED - Service Parts Only



CPR

Fifth Wheels

SAF-Holland

Item	Part Number	Description
1	HOL4100328	Bracket Shoe
2	Jaw	
	HOLXA-4109939	Left Hand
	HOL4109940	Right Hand
3	Lock	
	HOL4109931	Left Hand
	HOL4109808	Right Hand
4	4100767[^]	Cover Plate
5	HOL4100712	Lever Bar
6	Operating Rod	
	HOL4100342	Left Hand
	HOL4100441	Right Hand
7	Safety Indicator	
	HOL4100294	Left Hand
	HOL4100428	Right Hand
8	HOL1200706	Lock Spring
9	HOL4109916	Eccentric Pin
10	HOL5400766	Lever Bar Pin

Item	Part Number	Description
11	HOL5400711	Safety Indicator Pin
12	HOL5400705	Bracket Pin
13	Bracket Pad	
	HOL4100329	0.38 in.
	HOL4100339	0.33 in.
	HOL4100376	0.42 in.
14	HOL9900170	Clinch Pin
15	HOL84261	Cotter Pin
16	HOL9900169	Clinch Pin
17	HOL84787	Grease Fitting (not shown)
18	HOL9900181	Slotted Spring Pin
19	410997[^]	Oversize Jaw Pin (not shown)
20	HOL4100374	Safety Indicator (not shown)

[^]Part included for reference only.


SAF-Holland

Kits

Jaw Kit Standard (LH)	HOL4000501
Jaw Kit Oversize (LH)	HOL4000502
Bracket Connection Kit	HOL4000504
Lock Kit (LH)	HOL4000572
Operating Rod Kit (LH)	HOL4000509

SAF-Holland - Simplex SE

DISCONTINUED - Service Parts Only



Item	Part Number	Description
1	HOLXA-4109939	Jaw
2	HOL4109931	Lock
3	HOL1200101	Jaw Return Spring
4	HOL1200706	Lock Spring
5	HOL4100373	Lever Bar
6	HOL4100420	Handle
7	HOLXA-10969	Cover Plate
8	HOL9900181	Roll Pin
9	HOL84787	Grease Fitting
10	HOLXB-11127	Hex Head Shoulder Bolt
11	HOLXB-T-199	Washer 5/8 in.

Kits

HOL4000531	Release Handle Kit
HOL4000644	Jaw Kit
HOL4000647	Lock Kit
HOL4000504	Bracket Connection Kit (3/8 in. Pads)

Item	Part Number	Description
12	HOL4100294	Lock Indicator
13	HOL84261	Cotter Pin 1/8 in. x 1-1/4 in.
14	HOL5400711	Indicator Pin
15	HOL4109922-P	Eccentric Jaw Pin
16	HOL9900170	Clinch Pin 3/16 in. x 1-1/4 in.
17	Bracket Insert (Qty. 2)	
	HOL4000640	0.33 in.
	HOL4000528	0.38 in.
	HOL4000587	0.42 in.
18	HOL4100328	Bracket Shoe
19	HOL5400705	Bracket Pin
20	HOLXB-C-95	HHCS 1/2 in. - 20 x 1-1/4 in.
21	HOLXB-T-69-A	Locknut 1/2 in. - 20
22	HOL4100423	Air Cylinder
23	HOL9900182	HHCS 3/8 in. - 16 3/4 in.

*Part included for reference only.

SAF-Holland


CPR

Fifth Wheels

SAF-Holland

SAF-Holland - Simplex (Prefix SLS)

DISCONTINUED - Service Parts Only



Item	Part Number	Description
1	HOL4100328	Bracket Shoe
2	HOLXA-4109939	Jaw
3	HOL4109931	Lock
4	HOL4100155	Cover Plate
5	HOL4100373	Lever Bar
6	HOL4100420	Operating Rod
7	HOL4100294	Safety Indicator
8	HOL1200706	Lock Spring
9	HOL4109916	Eccentric Pin
10	HOL5400711	Safety Indicator Pin
11	HOL5400705	Bracket Pin
12	Bracket Pad	
	HOL4100329	0.38 in.
	HOL4100339	0.33 in.
	HOL4100376	0.42 in.

^Part included for reference only.

SAF-Holland

Item	Part Number	Description
13	HOL9900170	Clinch Pin
14	HOL84261	Cotter Pin
15	HOL9900169	Clinch Pin
16	HOL84787	Grease Fitting (not shown)
17	HOL9900181	Slotted Spring Pin
18	HOL4000250	Lever Bar Pin
19	HOL4101250	Safety Indicator (not shown)
20	HOL4100332	Non-Touch Lock Oper. Rod (not shown)
21	HOL4109977	Oversized Jaw Pin (not shown)

Kits

Jaw Kit (Standard)	HOL4000501
Jaw Kit (Oversize)	HOL4000502
Bracket Connection Kit	HOL4000504
Lock Kit	HOL4000570
Operating Rod Kit	HOL4000507


CPR

Fifth Wheels

SAF-Holland

SAF-Holland - Simplex Lite

DISCONTINUED - Service Parts Only



Item	Part Number	Description
1	HOL5400705	Bracket Pin
2	HOL9900169	Clinch Pins for Bracket Pins
3	HOL4100328	Bracket Shoes
4	HOL4100329	Bracket Pads
5	HOL4100155	Cover Plate
6	HOL9900170	Clinch Pin for Jaw Pin

Item	Part Number	Description
7	HOL4109916	Jaw Pin (Standard)
8	4109935[*]	Jaw
9	HOL4109931	Lock
10	HOL84261	Cotter Pin
11	HOL4000250	Lever Bar Pin
15	HOL4100373	Lever Pin
16	HOL4101250	Safety Indicator
17	HOL5400711	Safety Indicator Pin
18	HOL4100382	Operating Rod
19	HOL9900181	Slotted Spring Pin
20	HOL1200706	Lock Spring

Kits

HOL4000501	Jaw Kit (Standard)
HOL4000502	Jaw Kit (Oversized)

^{*}Part included for reference only.

SAF-Holland

Couplers & Hitches

Components

Top Plates

SAF-Holland

HOLXA-351-A-L-P



Jost

**Top Plate
JOSJSK37FSL**



Style: Fontaine

Jost

JOSJSK37HSL



Style: Holland

Jost

JOSJSK37USL



For Jost

Rebuild Kits

**Simplex Left Hand Standard Jaw Kit
HOL4000501**

SAF-Holland



SAF-Holland

**Simplex Left Hand Oversized Jaw Kit
HOL4000502**



SAF-Holland

**Simplex SE Bracket Connection Kit
HOL4000504**



2 - 3/8 in. Bracket Insert Poly Pads
2 - Bracket Shoe
2 - Bracket Pin

SAF-Holland

**Simplex SE Left Hand Jaw Kit
HOL4000644**



Jaw, Jaw Return Spring, Eccentric Jaw Pin, Clinch Pin

CPR

Fifth Wheels

SAF-Holland

JOST

Fifth Wheels

346

800.621.7949

= Key Items

www.AuroraParts.com

Cross-reference parts are listed for reference only. © 2018 Aurora Parts & Accessories, LLC., All Rights Reserved

Components

Rebuild Kits



Quick Reference

Fifth Wheel Jaw Kits

Fifth Wheel	Kit	Type
Holland FWS1 Series, Holland FWS2	HOLRK-4109939	Jaw Kit
Holland Simplex II	HOL4000501	Jaw Kit Standard (LH)
	HOL4000502	Jaw Kit Oversized (LH)
Holland Simplex SE	HOL4000644	Jaw Kit

Fifth Wheel	Kit	Type
Holland Simplex (Prefix SLS)	HOL4000501	Jaw Kit (Standard)
	HOL4000502	Jaw Kit (Oversize)
Holland Simplex Lite	HOL4000501	Jaw Kit (Standard)
	HOL4000502	Jaw Kit (Oversized)

Couplers & Hitches

Components

Replacement Kits

Simplex Rod Operating Kit HOL4000507

SAF-Holland



Operating Rod, Safety Indicator, Safety Indicator Pin, Cotter Pin, Slotted Spring Pin

Pins & Bushing Kit HOLRK-06973-1

SAF-Holland



Parts

Bushing
HOLXB-0011-2

Low Lube Plates Kit HOLRK-331-1

SAF-Holland



XA-331XA-311XA-AL

Left Hand Release Handle HOLRK-351-09967

SAF-Holland



XA-351

Standard Pull Handle Kit JOSSK75013-20

Jost



Pull Handle Drop Kit JOSSK75013-20D

Jost



Handle Kit JOSSK75016-09

Jost



CPR

Fifth Wheels

SAF-Holland

JOST

Components

Hardware

Mounting Bolt Kit HOLPK-FAST-10



SAF-Holland

Bolt Kit BLTKIT-HOL



SAF-Holland

(8) 3/4 Bolts (8) Nuts
(16) Washers

Air Kit

HOLRK-2500-10



SAF-Holland

Pin Kit

HOLRK-10605



SAF-Holland

Shaft Yoke HOLXA-1706



SAF-Holland

Bushing

HOLXB-0011-2



SAF-Holland

Tag

HOLXB-02312



SAF-Holland

CPR

Fifth Wheels

SAF-Holland

Couplers & Hitches

Components

Hardware

Cushion
HOLXB-10605

SAF-Holland



Washer
HOLXB-1127

SAF-Holland



Material: Rubber

Hook 5th Wheel
IMXGT-1330



Material: Steel
Length: 31.25 in.

Color: Black

Cylinder
JOS75015-03



Jost

Lever
JOSSK3105-140



With Chamfer

Jost

Kit-37U
JOSSK75014-01



Jost

Cushion Ring
JOSSK79002-00



Jost

Hook 5th Wheel
KIN80111



Material: Steel
Length: 35-7/16 in.

Finish: Chrome Plated

SAF-Holland

CPR


Fifth Wheels

SAF-Holland

JOST

Upper Couplers


Kingpin Plate
FRUBCA6213-3




Tank Upper Coupler



Plate Assembly
TSCC-202



Apron Assembly
WAB03001367



Upper Coupler
MFPGRID1-0960




Upper Coupler
MFPGRID1-1020



Quick Reference

5th Wheel Grease

Part Number	Size
LUC10030	1 pint (12 per case)
PTX01020	2 oz. (350 bulk pack)
PTX01010	2 oz. (60 per box)
PNR7005	10-1/2 oz. (12 per case)



Kingpins


Maltese Cross / Cruciform

	Plate Thickness	Diameter	A	B
PROKP-X2-1.9	1/4 in.	2 in.	1-7/8 in.	3-31/54 in.
HOLKP-AAR-5-C	1/4 in.	2 in.	2-7/16 in.	3-9/16 in.
PROKP-X2-2.4	1/4 in.	2 in.	2-13/32 in.	3-31/54 in.
PROKP-X2-3.6	1/4 in.	2 in.	3-19/32 in.	3-9/16 in.
HOLKP-AAR-5-E	5/16 in.	2 in.	2-1/2 in.	3-7/11 in.
PROKP-X3-2.4	5/16 in.	2 in.	2-13/32 in.	3-7/11 in.
PROKP-X4-2.4	3/8 in.	2 in.	2-13/32 in.	3-7/10 in.
PROKP-X4-3.6	3/8 in.	2 in.	3-19/32 in.	3-7/10 in.



Mushroom

	Plate Thickness	Diameter	A
HOLKP-T-809-CF	1/4 in.	2 in.	3-31/54 in.
PROKP-T2	1/4 in.	2 in.	3-11/34 in.
HOLKP-T-809-EF	5/16 in.	2 in.	3-26/41 in.
PROKP-T3	5/16 in.	2 in.	3-11/34 in.
HOLKP-T-809-F	3/8 in.	2 in.	3-19/27 in.
PROKP-T4	3/8 in.	2 in.	3-11/34 in.
HOLKP-T-809-BF	1/2 in.	2 in.	3-5/6 in.
PROKP-T5	1/2 in.	2 in.	3-11/34 in.



How To Use Kingpin Gauge

Inspecting Diameters

1. Slip gauge over kingpin.
2. Position the gauge onto portion of kingpin to be measured.
3. Be sure to rotate the gauge 360 degrees around the kingpin to measure diameter in all directions.
4. Gauge indicates 1/8 in. of wear.



Inspecting Height

1. Place the notched end of the gauge onto the kingpin.
2. If kingpin does not fit into gauge, height of kingpin is incorrect or bent.
3. Rotate gauge 360 degrees to check all sides of kingpin.



CPR


Kingpins

pro-par
CPR Parts & Service

SAF-Holland

Gauges

HOLTF-0110 Contains
Single Gauge



- Indicates an undersized condition and need of replacement
- Can also be used to check kingpin length

SAF-Holland

Locks

	Type	Key
IMXGT-7201	Steel	
IMXGT-7202-01	Iron	01
IMXGT-7202-02	Iron	02



(IMXGT-7201)



(IMXGT-7202-01/
IMXGT-7202-02)

Replacement Key

IMXGT-7202-01K

IMXGT-7202-02K

Economy

	Type	Key
WARTKP-10DPS	Display Pack	
WARTKP-10DPL25014	Keyed Alike	25014



(WARTKP-10DPL25014)



(WARTKP-10PS)

Cast steel & designed for dropped/untethered trailers; conical design gives it light-weight & is wide enough to deflect the fifth wheel plate of a tractor

War-lok

Slick Discs

	Size	Type	Includes
IMXGT-7100	32 in.	Slick Disc	
IMXGT-7100R		Snap Ring	
IMXGT-7100WR	32 in.	Kit	Slick Disc IMXGT-7100 + Snap Ring IMXGT-7100R
IMXGT-7101	36 in.	Slick Disc	
IMXGT-7101WR	36 in.	Kit	Slick Disc IMXGT-7101 + Snap Ring IMXGT-7100R
IMXGT-SSD007		Super Slick Disc	
IMXGT-SSD007KIT		Kit	Super Slick Disc IMXGT-SSD007 + Ring + Screws
JKG6100		Kit	Slick Disc + Snap Ring



(IMXGT-7100R)



(IMXGT-7100)




(IMXGT-SSD007)

*EASE YOUR LOADS
WITH OUR
INNOVATIVE PRODUCT DESIGNS*

**PREMIER
MANUFACTURING CO.**

www.premier-mfg.com



NEW PRODUCT !

Model 335NTEL

The Rhino of Swivel Couplings

- Swivel Design
- High Capacity MGTW
- Extended Life Latch Lubrication

Max Gross Trailer Weight: 110,000 lbs. (49,895 kg)

Maximum Tongue Weight: 20,000 lbs. (9,072 kg)

Ultimate Latch Capacity: 65,000 lbs. (29,484 kg)

Model 150

Unique Side Swing Latch

- 10 Ton Combo Coupling
- Eye or Ball Connection
- Compact & Low Profile

MGTW with Drawbar Eye: 20,000 lbs. (9,072 kg)

MGTW with 155 or 156 Ball: 10,000 lbs. (4,535 kg)

Maximum Tongue Weight: 2,500 lbs. (1,134 kg)

Ultimate Latch Capacity: 5,000 lbs. (2,267 kg)



Model 150 Coupling
Model 4 Drawbar Eye



Model 240KSA

Unsurpassed Service Life
in a Swivel Coupling

- Premalloy Work-Hardening
- Swivel Design

Max Gross Trailer Weight: 60,000 lbs. (27,216 kg)

Maximum Tongue Weight: 6,000 lbs. (2,721 kg)

Ultimate Latch Capacity: 20,000 lbs. (9,071 kg)

Drawbar Eyes

Premier

Bolt-on Adjustable PRE127-7



Premier

Rod: 7 in. ID: 2-3/8 in.
MGW: 100,000 lbs. MTW: 15,000 lbs.

Bolt-on PRE200



Premier

ID: 2-3/8 in.
MGW: 100,000 lbs. MTW: 15,000 lbs.

Bolt-on PRE300



Premier

ID: 3 in.
MGW: 100,000 lbs. MTW: 15,000 lbs.

Weld-on PRE20



Premier

For 3 in. Channel or Square Tube
ID: 2-3/8 in.
MGW: 100,000 lbs. MTW: 15,000 lbs.

Weld-on Adjustable PRE123-12



Premier

Rod: 12 in. ID: 2-3/8 in.
MGW: 100,000 lbs. MTW: 15,000 lbs.

Swivel Eye PRE207S



Premier


ID: 2-3/8 in. Length: 11-1/8 in.
Comes with nut
MGW: 90,000 lbs. MTW: 2,500 lbs.

CPR

Drawbar Eyes

Tech Tip

Drawbar Eye Wear Guide



Item	Part Number
Wear Gauge	PRE14000



Couplers & Hitches

Drawbar Eyes

SAF-Holland

Weld-on
HOLDB-1400

SAF-Holland



ID: 2-3/8 in.
For 3 in. Channel or Square Tube
MGTW: 90,000 lbs. MTW: 18,000 lbs.

Drawbar Eye Accessories

Premier

Push Rod Coupler
PRE47

Premier



Length: 3-5/8 in. Thread: 5/8-18 to 3/4-16
Compatible with 47 Series Coupler

Take-up Shoe
PRE411

Premier



Slack Adjusting
For: 110, 123, 125, 127, 410

Bushings

	Material	Length	Inner Diameter	For
PRE348	Rubber	3-1/2 in.	2 in.	340
PRE348A	Poly	3-1/2 in.	2 in.	340S
PRE437	Rubber	4-1/2 in.	2 in.	435, 536A



(PRE348)



(PRE348A)



(PRE437)

Premier

CPR

Pintle Hooks

SAF-Holland



Pintle Hooks

Premier

270 Coupling PRE270



Premier

Air Adjusted with Thimble

370 Coupling PRE370



Premier

Air Adjusted with Thimble
Diameter: 2-1/8 in.

2200 Coupling

	Type	Additional Info
PRE2200	Coupler	2-1/8 in. dia.
PRE2200L	Coupler	Coupling + Low Profile Lever Kit Installed
PRE2200ELL	Coupler	Extended Life, Low Profile Lever
PRE2200LNS	Coupler	Same as 2200L w/o 279 Shoe
PRE2075K	Low Profile Lever Kit	
PRE2000PK	Kit (for 2300/B, 2400/H, 2880)	Snap Rings + Locknuts + Spacers + Pins + Bolts + Springs + Bushings + Latch Lock + Thimble + Shoe + Handle + Latch
PRE2200PK-ELL	Kit (for 2200ELL)	Snap Rings + Locknuts + Spacers + Pins + Bolts + Springs + Bushings + Latch Lock + Thimble + Shoe + Handle + Latch



(PRE2200)



(PRE2200L)



(PRE2200ELL)



(PRE2200LNS)




(PRE2075K)

Premier

CPR

Pintle Hooks

Tech Tip Coupler Wear Guide



Item	Part Number
Wear Gauge	PRE14000



Couplers & Hitches

Pintle Hooks

SAF-Holland

Assembly
HOLPH-30RP41

SAF-Holland



30,000 lbs.

Assembly
HOLPH-T-60-AOL-8

SAF-Holland



Pintle Hook
HOLPH-210RN11

SAF-Holland



Assembly
HOLPH-400

SAF-Holland



30,000 lbs.

Assembly Pintle
HOLPH-10RP41

SAF-Holland



10,000 lbs.

Accessories

Plunger & Bracket
HOLXA-02608

SAF-Holland



with Chamber

Push Rod

Length	
12 in.	PRE113
8 in.	PRE113A
7 in.	PRE113B

Premier



CPR

Pintle Hooks

SAF-Holland



Pintle Hooks

Accessories

Bolt Kit PRE159



Premier

Grade 8
(4) Bolts - 1/2 in. x 2

Spring PRE266



Premier

Size: 5/8 in. x 2-5/8 in.
For: 279, 480, 580, 580J, 590, 690

Locknut PRE297



Premier

Size: 1 in.
For: 690 & 2200

Spring PRE2072A



Premier

For: 2200, 2300, 2300B, 2400 & 2400H

Standard Thimble PRE271



Premier

Length: 2-3/4 in.

Hinge Pin PRE442



Premier

Size: 2 in. x 6-13/16 in.
For: 440, 450

Clip and Cable PRE581BB



Premier

For: 580 & 580J

CPR

Pintle Hooks

Hinge Assemblies

Drawbar Hinge Assembly
FRUFCA5315-900



Drawbar Hinge
FRUFCA5315



Bushings

	Material	Length	Inner Diameter	Outer Diameter	Count	For
PRE448	Rubber	1-3/4 in.	2 in.	3-1/2 in.		455
PRE448A	Poly	1-3/4 in.	2 in.	3-1/2 in.	2	455



(PRE448)




(PRE448A)

Premier

Tech Tip

Hinge Assembly Identification



CPR

Hinge Assemblies

FRUEHAUF